





5 dBi Omni Antenna

360° Dual Polarization Transmission

MDS-TXANT-107-OMNI

FREQUENCY: 10.7 - 11.7 GHz
POLARISATION: Dual Linear, Vertical & Horizontal
CROSS POLAR: 25 dB Typical
POWER RATING: 2 x 20 W
TEMPERATURE: -40° to +60°C
FINISH: Gray Radome, Alocrom 1200 Spigot

GAIN: 5 dBi Typical
BEAMWIDTH: 360° (Az.) 10° (El.) Approx
VSWR: 2:1
FRONT TO BACK: N/A
MASS: 1.5 Kg / 3.3 lbs
WIND LOADING: 10.8 Kg / 23.7 lbs @ 100 mph






MDS America, Inc.
 800 SE Lincoln Avenue
 Stuart, FL 34994
 United States of America

www.mdsamerica.com

+1 772 463 8338

Technical Specifications

MDS-TXANT-107-OMNI



MDS America, Inc.
 800 SE Lincoln Avenue
 Stuart, FL 34994
 United States of America



www.mdsamerica.com

+1 772 463 8388

REV 1.1 NOVEMBER 2008

Technical Specifications

MDS-TXANT-107-OMNI



MDS America, Inc.
800 SE Lincoln Avenue
Stuart, FL 34994
United States of America

www.mdsamerica.com

+1 772 463 8388

REV 1.1 NOVEMBER 2008